

Data Sheet

FUJITSU Tablet LIFEBOOK P727

Multi-Mode Productivity

The FUJITSU Tablet LIFEBOOK P727 is an ultra-light, portable 2 in 1 device with a day-long battery that enables an agile multi-mode working style. The device can handle demanding design- and illustration-based applications with ease using latest Intel processors. It ships with the Windows 10 Pro operating system and offers industry-leading palm vein authentication technology for your enterprise security needs.

Multi-mode usage functionality

Designed to take your productivity to the next level

- 360° foldable 2 in 1 device with 4 functional working modes

Uncompromising viewing experience

Enjoy seamless viewing experience independent of being outdoors or indoors

- Anti-glare display with 12.5" Full HD screen

Superior security

Protecting your enterprise data with industry-leading palm vein authentication technology

- Integrated PalmSecure® feature that provides an unmatched security for your enterprise data.

Light weight

Better portability to give you more freedom

- Weighing at just 1.3 kg, you have the freedom you need along with ultimate portability

Long battery life

All-day battery life that helps you tackle challenges with ease

- With up to 10 hours of battery backup and up to 80% charging in under 1 hour



Components

Base unit	LIFEBOOK P727
Operating systems	
Operating system	Windows 10 Pro. Fujitsu recommends Windows 10 Pro. Windows 10 Home
Microsoft OS support information	This system receives full support from Microsoft with Windows 10/Windows 10 Pro only. For any other Microsoft OS installed, this device has limited support from Microsoft. For more information, please see Microsoft's Support Lifecycle FAQ.
Processor	
	Intel® Core™ i7-7600U processor (2.8 GHz, up to 3.9 GHz, 4 MB)
	Intel® Core™ i5-7300U processor (2.6 GHz, up to 3.5 GHz, 3 MB)
	Intel® Core™ i5-7200U processor (2.5 GHz, up to 3.1 GHz, 3 MB)
	Intel® Core™ i3-7100U processor (2.4 GHz, 3 MB)
	*Processor only for retail, SMB, education and government
Memory modules	
	4 GB (1 module(s) 4 GB) DDR4, 2,133 MHz, SO DIMM
	8 GB (1 module(s) 8 GB) DDR4, 2,133 MHz, SO DIMM
	16 GB (1 module(s) 16 GB) DDR4, 2,133 MHz, SO DIMM
Hard disk drives (internal)	
	SSD SATA III, 512 GB, OPAL capable
	SSD SATA III, 256 GB, OPAL capable
	SSD SATA III, 128 GB, OPAL capable
	PCIe-SSD, 512 GB, OPAL capable
	PCIe-SSD, 256 GB, OPAL capable
Hard disk notes	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software. Up to 20 GB of HDD space is reserved for system recovery Internal storage interface: M.2 SATA
Interface add on cards/components (optional)	
3G/4G (optional)	LTE Sierra Wireless EM7305
WLAN (optional)	Import and usage according to country-specific regulations.
Display	
	31.8 cm (12.5-inch),LED backlight,(HD),Glare,magnesium,1,366 x 768 pixel,1,000:1,220 cd/m ²
	31.8 cm (12.5-inch),LED backlight,(HD),Anti-glare display,magnesium,1,366 x 768 pixel,1,000:1,220 cd/m ²
	31.8 cm (12.5-inch),LED backlight,(Full HD),Glare,magnesium,1,920 x 1,080 pixel,1,000:1,300 cd/m ²
	31.8 cm (12.5-inch),LED backlight,(Full HD),Anti-glare display,magnesium,1,920 x 1,080 pixel,1,000:1,300 cd/m ²
Multimedia	
Camera	Built-in webcam (HD) with Status LED

Base unit

Base unit	LIFEBOOK P727
General system information	
Chipset	Integrated in CPU
Supported capacity RAM (max.)	16 GB
Memory slots	1 DIMM (DDR4)
Memory notes	DDR4 - 2133 MHz
LAN	Built-in 10/100/1,000 MBit/s Intel® I219V

General system information

LAN notes	Intel I219-LM for AMT
BIOS features	InsydeH20 Bios
Audio type	On board
Audio codec	Realtek ALC255
Audio features	2x digital array microphones, 2x built-in speakers (stereo)
Display	31.8 cm (12.5-inch), Anti-Glare or Glare options, HD- 500:1; FHD-700:1, HD - 220 cd/m ² ; FHD - 300 cd/m ²
Display notes	Wide-view high-bright LED display (for enhanced outdoor viewing). With magnesium display lid. Integrated ambient light sensor for automatic backlight adjustment to the working environment.
Sensors	3-axis Accelerometer Gyroscope Ambient Light Sensor Magnetic Field Sensor Compass
Aspect ratio	16:9
Brightness - typical	HD - 220 cd/m ² ; FHD - 300 cd/m ²
Contrast - typical	HD- 500:1; FHD-700:1
Digitizer / Touch Technology	Wacom Digitizer for pen (AES) input plus capacitive 10 finger multi-touch screen
Ambient light sensor	Integrated
Ambient light sensor notes	While enabled, the ambient light sensor automatically adjusts the display backlight

Graphics

Base unit	LIFEBOOK P727
TFT resolution (HDMI)	up to 1,920 x 1,200
TFT resolution (VGA)	up to 1,920 x 1,200
TFT resolution (DVI on Port Replicator)	up to 1,920 x 1,200
TFT resolution (DisplayPort on Port Replicator)	up to 2,560 x 1,600
Graphics brand name	Intel® HD Graphics 620
Graphics features	3 Display Support (2 external, 1 internal)
Graphics notes	Shared memory depending on main memory size and operating system

Interfaces

DC-in	1
Audio: line-out / headphone	1 (combo port with Audio line-in)
Audio: line-in / microphone	1 (combo port with Audio line-out)
Internal microphones	2 (digital)
USB 3.1 Gen 2 total	2 (incl. 1x Anytime USB Charge functionality, left side) Gen 1
USB Type-C	1
VGA	1
HDMI	1
Ethernet (RJ-45)	1
Memory card slots	1 SD up to 2GB, SDHC up to 32GB, SDXC up to 128GB
SmartCard slot	1 (optional)
SIM card slot	1 (only for models with integrated 4G/LTE)

Keyboard and pointing devices

	Isolation keyboard Number of keyboard keys: 85, Keyboard pitch: 18.4 mm, Keyboard stroke: 1.7 mm Multi gesture touchpad with integrated mouse button functionality Tablet Pen, stored in pen garage Touch-screen
Input devices (optional)	Keyboard with multi gesture touchpad and 2 mouse buttons

Wireless technologies

Antennas	2x dual band for WLAN, 2x for LTE, Bluetooth shared with WLAN
Bluetooth	V 4.1

Wireless technologies

WLAN encryption	WEP, WPA, WPA2
WLAN notes	Import and usage according to country-specific regulations.
Integrated LTE or UMTS	LTE Sierra Wireless EM7305 (Cat. 3) (optional)
LTE/UMTS/GPS notes	Including GPS functionality Import and usage according to country-specific regulations.
GPS	Embedded in 3G/4G module if configured with WWAN

Power supply

AC Adapter	19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) slim and light AC-Adapter
Notes	65W AC Adapter for usage with system/ min. 90W AC Adapter for usage with Port Replicator
1st battery options	Lithium Polymer battery 3-cell, 45 Wh
Battery features	Rapid Charge
Runtime 1st battery	up to 10 h
Battery charging time	~ 130min
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCO Mobile Mark 2007 Benchmark (readers mode e.g. surfing the internet, writing E-mails, viewing documents) which provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity slightly decreases with every charging cycle and over the lifetime.

Dimensions / Weight / Environmental

Dimensions (W x D x H)	299 x 209 x 18.79 mm back (w/o rubber feet) mm
Weight	from 1.2 kg
Weight (lbs)	3.5 lbs
Weight notes	Weight may vary depending on actual configuration (including battery pack)
Operating ambient temperature	Running: 5 - 35 °C; Packed -10 - 60 °C
Operating relative humidity	Running: 20 - 80% (relative humidity); Packed: 20 - 80% (relative humidity)
Product	
Compliance link	http://globalsp.ts.fujitsu.com/sites/certificates

Additional Software

Additional software (preinstalled)	Adobe® Reader® (pdf reader) CyberLink YouCam (webcam software) Fujitsu Display Manager Fujitsu DeskUpdate (driver and utility tool) ShockSensor Utility Power Saving Utility Fujitsu Plugfree Network (network management utility) EasyGuide online user documentation Microsoft Office (buy license to activate the pre-installed Microsoft Office)
Additional software (optional)	Recovery DVD for Windows® Drivers & Utilities DVD (DUDVD) optional CyberLink PowerDVD BD (playback software for Blu-ray Disc™) CyberLink PowerDVD DVD (playback software for DVD) CyberLink YouCam (webcam software) Nero (backup and burning software)

Manageability

Manageability technology	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) WoL (Wake on LAN)
Manageability software	DeskView Client DeskView Instant BIOS Management
DeskView components	Inventory Management BIOS Management Driver Management Security Management Alarm Management

Manageability

Supported standards	WMI (Windows Management Instrumentation) PXE (Preboot Execution Environment) DMI (Desktop Management Interface) SMBIOS (System Management BIOS) WBEM (Web Based Enterprise Management) CIM (Common Information Model) BootP (made4you)
Manageability link	http://www.fujitsu.com/fts/manageability



Security

Physical Security	Kensington Lock support
System and BIOS Security	Absolute Persistence® technology capable BIOS EraseDisk (optional) Optional: Trusted Platform Module (TPM 2.0)
User Security	Hard disk password User and supervisor BIOS password Embedded fingerprint sensor (optional) Workplace Protect (secure authentication solution) Smartcard reader (integrated) Integrated palm vein sensor (optional)

Warranty

Warranty Terms & Conditions	http://support.ts.fujitsu.com/warranty
Product Support Services - the perfect extension	
Recommended Service	9x5, Onsite Response Time: Next Business Day
Service Weblink	http://ts.fujitsu.com/Supportservice

Recommended Accessories

		Order Code: S26391-F1667-L100
		Order Code: S26391-F6097-L363
Sneaker Sleeve 12.5		The Sneaker Sleeve 12.5 protects notebooks or tablets with up to 12.5-inch screens. The front half of the bag has dedicated compartments for your notebook, power cord, office supplies and personal items. The back half of the bag has an expanding, divided compartment for your files. It is designed to combine fashion and functionality.
Wireless Notebook Mouse W1610		The Wireless Notebook Mouse W1610 uses the latest wireless 2.4 GHz technology, and an ultra-high resolution switchable sensor to give you the precision and reliability you need (1000/1500/2000 dpi). Sporting a stylish silver-black finish, the W1610 wireless mouse is well suited to all environments.
		Order Code: S26381-K460-L100

More information

Fujitsu OPTIMIZATION Services

In addition to FUJITSU Tablet LIFEBOOK P727, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/products/computing/

Software

www.fujitsu.com/software/

More information

Learn more about FUJITSU Tablet LIFEBOOK P727, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.
www.fujitsu.com/fts/tabletpc

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at <http://www.fujitsu.com/global/about/environment/>



Copyrights

All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/terms

© 2017 Fujitsu Technology Solutions GmbH

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

CONTACT

Fujitsu Technology Solutions GmbH
Website: www.fujitsu.com/fts
2017-02-14 CE-EN

All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see www.fujitsu.com/terms
© 2017 Fujitsu Technology Solutions GmbH